Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: Lumie

Supplier's address: Lumie Customer Care, The Links, Trafalgar Way 3, CB23 8UD Bar Hill Cambridgeshire, UK

Model identifier: Dash

Type of light source:

| Lighting technology used: | LED | Non-directional or directional: | NDLS | |
|-------------------------------|-----------|---------------------------------|---------------------------------|--|
| Light source cap-type | Connector | | | |
| (or other electric interface) | | | | |
| Mains or non-mains: | NMLS | Connected light source (CLS): | No | |
| Colour-tuneable light source: | No | Envelope: | - | |
| High luminance light source: | No | | | |
| Anti-glare shield: | No | Dimmable: | Only with spe- cific dimmers | |
| Product parameters | | | | |

| | | i i oddet para | | | |
|---|--|---------------------------|--|--------------|--|
| Parameter | | Value | Parameter | Value | |
| General product parameters: | | | | | |
| 0, | nption in on- 00 h), rounded st integer | 13 | Energy efficiency class | F | |
| dicating if it refe a sphere (360 ^o) | s flux (фuse), in- ers to the flux in , in a wide cone arrow cone (90º) | 1 300 in Sphere (360°) | Correlated colour temperature, rounded to the near- est 100 K, or the range of correlat- ed colour temper- atures, rounded to the nearest 100 K, that can be set | 5 000 | |
| On-mode pov pressed in W | ver (P _{on}), ex- | 12,5 | Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal | - | |
| (P _{net}) for CLS, (| tandby power expressed in W the second dec- | - | Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set | 95 | |
| Outer dimen- | Height | 175 | Spectral power dis- | See image | |
| sions without | Width | 175 | tribution in the | in last page | |
| separate con- | Depth | 10 | | Page 1 / | |
| | | | | | |


| trol gear, light- ing control parts and non- lighting con- trol parts, if any (millime- tre) | | range 250 nm to 800 nm, at full-load | | |
|--|------|---|-------|--|
| Claim of equivalent power ^(a) | - | lf yes, equivalent power (W) | - | |
| | | Chromaticity coordi- | 0,346 | |
| | | nates (x and y) | 0,359 | |
| Parameters for LED and OLED light sources: | | | | |
| R9 colour rendering index value | 85 | Survival factor | 1,00 | |
| the lumen maintenance factor | 0,96 | | | |


(a)'-' : not applicable;

(b)'_-' : not applicable;

Lumie Dash







| Lumie Dash Spectral Power Distribution.docx | CRN 2889 |
|---|----------|
|---|----------|

Model placed on the Union market from 28/08/2024.



EPREL registration number: 2106250

Supplier: Lumie Lights B.V. (Manufacturer)

Customer care service:

Name: Lumie Customer Care

Email: info@lumie.com

Address: The Links, Trafalgar Way 3 CB23 8UD Bar Hill United Kingdom https://eprel.ec.europa.eu/qr/21 06250

Website:

Website: www.lumie.com

Phone: +441954780500